

BIBLIOGRAFIA Libro ANTIAGING CON GUSTO (Chiara Manzi, ed. Sperling&Kupfer 2014)

FIELDING et al., 2005. *Increased in plasma lycopene concentration after consumption of tomatoes cooked with oil.* Asia Pac J Clin Nutr 2005 (14) 131-136.

GONZALEZ C.A. RIBOLI E., *Diet and Cancer prevention: where we are, where we are going.* Nutr. Cancer 2006, 56 (2), pp 225-31.

Istituto Auxologico Italiano. *7° Rapporto obesità in Italia. Obesità e genetica: oltre lo stile di vita.* Il Pensiero Scientifico Editore 2011.

Jacob K. et al., *Stability of carotenoids, phenolics compounds, ascorbic acid and antioxidant of tomatoes during thermal processing.* Arch Latamer Nutr. 2010 (60), pp. 192-198.

KEY T.J. et al., *The effect of diet on risk of cancer.* The Lancet 2002, 14 360 (9336) pp. 861-8.

LECLERCQ C. et al., *The Italian National Food Consumption Survey INRAN-SCAI 2005-06: main results in terms of food consumption.* Public Health Nutr. 2009; 12 (12) pp. 2504-32.

Niederlaender E. *Causes of Death in the EU. Statistics in focus. Population and social condition.* Eurostat 2006.

AIRC. World Cancer Research Fund/American Institute for Cancer Research. *Food, Nutrition, Physical Activity, and the Prevention of Cancer: a Global Perspective.* 2007.

ANDERSON D., PHILLIPS B.J. *Comparative in Vitro and in Vivo effects of Antioxidants.* Food Chem Tox, 1999, 37 (89-10) pp. 1015-1025.

BEULENS J W. et al., *High Dietary glycemic load and glycemic index increase the risk of cardiovascular disease among middle aged women: a population-based follow-up study.* J Am College Cardiol. 2007, (50) pp. 14-21.

COLE M. G. et al. *Dietary fatty acids and the aging brain.* Nutr Rev., 2010,(68) pp. 102–111.

COLMAN R.J. et al., *Caloric restriction delays disease onset and mortality in rhesus monkeys.* Science 2009 (325) pp. 201-204.

DE MUNTER J.S. et al., *Whole grain, bran, and germ intake and risk of type 2 diabetes: a prospective cohort study and systematic review.* PLoS Med 2007, (4) 261-265.

Dietary Guidelines for Americans. U.S. Department of Agriculture U.S. Department of Health and Human Services www.dietaryguidelines.gov.

DUGO L. et al., *Antioxidants.* Encyclopedia of Life Sciences & 2011, John Wiley & Sons, Ltd, pag 1-9. DOI: 10.1002/9780470015902.a0023204.

DUN GIFFORD K., *Dietary fats, eating guides, and public policy: history, critique, and Recommendations,* The American Journal Of Medicine, 2002, 113 (9), pp 86-106.

EFSA. *Scientific Opinion on Dietary Reference Values for fats, including saturated fatty acids, polyunsaturated fatty acids, monounsaturated fatty acids, trans fatty acids, and cholesterol .* EFSA Journal 2010; 8(3):1461- 1560.

EMMERSON B. T. *Effect of oral fructose on urate production.* Ann. Rheum. Dis. (1974), 33, 276-280.

ETHERTON P.M.K et al., *Fish consumption, fish oil, omega-3 fatty acids, and cardiovascular disease.* Circulation 2008 ,(28) pp. 2747-2755.

FARDET A. et al., *Is the in vitro antioxidant potential of whole-grain cereals and cereal products well reflected in vivo?* Rev Art J Cer Sci. 2008, 48, (2), pp. 258-276.

FRAGA C.G. *Dietary flavonoids: Role of (-)-epicatechin and related procyanidins in cell signaling.* Free Rad Biol & Med. 2011 (51) pp. 813–823.

- GASTALDELLI A. AND BASTA G. *Ectopic fat and cardiovascular disease: What is the link?* Nutr Metab Cardiovasc Dis. 2010, 20 (7), pp. 481-490.
- GOHIL K., AZZI A. *Vitamins that protect against aging: antioxidants can shield you from the ravages of time. Here's what you need to know to start an anti-aging program . Reply to Drug Insight: antioxidant therapy in inherited ataxias.* Nature Clin Pract Neur 2008 (4), E1. doi:10.1038/ncpneuro0833.
- GURR M.I. *Lipids in Nutrition and Health: a reappraisal.* 2009. PJ Barnes & Associates.
- HALLIWELL B. *Are polyphenols antioxidants or pro-oxidants? What do we learn from cell culture and in vivo studies?* Arch Biochem Biophys. 2008, (476) pp. 107–112.
- HEYDARI A. R. et al., *Caloric restriction and genomic stability.* Nucleic Acid Res 2007, (35) pp. 7485-7486.
- HOLST B. AND WILLIAMSON G. *Nutrients and phytochemicals: from bioavailability to bioefficacy beyond antioxidants.* Curr Opin Biotech. 2008, (19) pp. 73–82.
- Hooper L. , *Effects of chocolate, cocoa, and flavan-3-ols on cardiovascular health: a systematic review and meta-analysis of randomized trials.* Am J Clin Nutr. 2012 Feb 1. [Epub ahead of print].
- INOUCHI T. et al., *High Glucose Level and Free Fatty Acid Stimulate Reactive Oxygen Species Production Through Protein Kinase C-Dependent Activation of NAD(P)H Oxidase in Cultured Vascular Cells.* Diabetes, 2000 (49) pp. 1939-1945.
- JOSEPH J. A. et al. *Grape Juice, Berries, and Walnuts Affect Brain Aging and Behavior.* J. Nutr. 2009, (109) pp. 1813-1817.
- JOSEPH J., et al. *Nutrition, Brain Aging, and Neurodegeneration.* J Neur. 2009, 29 (41), pp. 12795–12801.
- LIESE A.D. et al., *Whole-grain intake and insulin sensitivity: the Insulin Resistance Atherosclerosis Study.* Am J Clin Nutr. 2003 (78) pp. 965-971.
- LIU S. et al., *Relation between a diet with a high glycemic load and plasma concentration of high –sensitivity C-reactive protein in middle-aged women.* Am J Clin Nutr 2002, 75 (3) 492- 498.
- LOPEZ-GARCIA et al., *Consumption of trans fatty acids is related to plasma biomarkers of inflammatory and endothelial dysfunction.* Nutr Epidemiol. 2005, 562-566.
- LUSTIG R et al., *The toxic effect about sugar.* Nature 2012 (2) pp. 27-29.
- MANGIAPANE E.H. AND SALTER A.M. *Lipids in Nutrition and Health: A Reappraisal,* 1999, The Oily Press Bridgewater.
- MC MILLIAN L. et al. *Behavioural effects of a 10-day Mediterranean diet. Results from a pilot study evaluating mood and cognitive performance,* Appetite, 2011, 56 (1), pp. 143-147.
- MELLEN P.B. et al., *Whole grain intake and cardiovascular disease: A meta-analysis.* Nutr Metab Cardiovasc Dis. 2008 (4) pp. 283-290.
- MENSINK M.R.P. et al., *Effects of dietary fatty acids and carbohydrates in the ratio of serum total to HDL cholesterol and on serum and apolipoproteins: a meta-analysis of 60 controlled trials .* Am J Clin Nutr 2003, 77 pp1146-1155.
- NIKI E. *Assessment of Antioxidant Capacity in vitro and in vivo.* Review Article. Free Rad Biol Med. 2010, (49)15 pp. 503-515.
- OH K. et al., *Dietary fat intake and risk of coronary heart disease in women: 20 years of follow up of the Nurses Health Study.* Am J Epidemiol 2004 (161) pp. 672-679.
- OLSHANSKY S. J. et al. *Potential Decline in Life Expectancy in the United States in the 21st Century,* N. Engl. J Med 2005, 352, pp. 1138-1145.
- PALLAUF K. , RIMBACH G. *Autophagy, polyphenols and healthy ageing.* Ag Res Rev. 2012 in press.
- PENNY M. K. et al. *Fish Consumption, Fish Oil, Omega-3 Fatty Acids, and Cardiovascular Disease.* Circulation 2002 (106), pp. 2747-2757.
- ROTHSTEIN W. G. *Dietary fat, coronary heart disease, and cancer: A historical review,* Preventive Medicine, 2006, 43, (5), pp. 356-360.

SHU XO et al., Soy food intake and breast cancer survival. JAMA. 2009 302(22) pp. 2437-2443.

SIES H. *Polyphenols and health: Update and perspectives.* Arch Bioch Bioph. 2010, (501) pp. 2–5.

SHI J. LE MAGUER M. *Lycopene in tomatoes: chemical and physical properties affected by food processing.* Crit Rev Biotechnol. 2000 (20) pp. 293-334.

SINU. Società di Nutrizione Umana . Livelli di Assunzione Raccomandati di Energia e Nutrienti per la popolazione Italiana LARN 2012.

SONTROP J., CAMPBELL M.K. *N-3 polyunsaturated fatty acids and depression: A review of the evidence and a methodological critique* Prev Medi 2006 (42) pp. 4-13.

SREEKUMAR R. et al., *Impact of high-fat diet and antioxidant supplement on muscle mitochondrial functions and gene transcripts in rat.* Am J Physiol Endocrinol Metab 2001 (282) pp. 1055-1061. 2002. doi:10.1152/ajpendo.00554.2001.

SUN Q. et al., *A prospective study of trans fatty acids in erythrocytes and risk of coronary hearth disease.* Circulation 2007 (115) pp.1858-1865.

VERMA A.R. et al., *In vitro and in vivo properties and DNA damage protective activity of green fruit of Ficus glomerata.* Food Chemi Tox, 2010, (48), pp. 704-709.

WORLD CANCER RESEARCH FUND (WCRF) and AMERICAN CANCER RESERACH (AIRC). Food, Nutrition, Physical Activity, and the Prevention of Cancer: a Global Perspective. 2007 Whashington D, American Institute for Cancer Research. Internet: www.dietandcancerreport.or/?p=ER.

ZAMPELAS et al., *Fish consumption among healthy adults is associated with decreased levels of inflammatory markers related to cardiovascular disease: the ATTICA study.* J Am Coll Cardiol 2005(46):120-124.

ABETE I. *Energy Restricted diets base don a distinct food selection affecting the glycemic index induce different weight loss and oxidative response.* Clin Nutr, 2008, 27(4), pp. 545-551.

Adlercrueutz H. *Phyto-oestrogens and Cancer.* Lancet Oncology 2002, (3) pp. 364-373.

BENETOU V. et al., *Conformity to traditional Mediterranean diet and cancer incidence: the Greek EPIC cohort.* Brit J Cancer 2008, (99) pp. 191-195.

Bernard-GALLON DJ et al., *Influence of genistein and daidzein on Brcal protein levels in human breast cancer.* Ann Onc 1998, 90 (11) pp. 862-863.

BONDIA-PONS I. et al., *Moderate consumption of olive oil by healthy european men reduces sistoli blood pressure in non mediterranean partecipans.* J Nutr 2007, (137) pp. 84-87.

Boschin G and Arnoldi A. *Legumes are valuable sources of tocopherols.* Food Chem. 2011, (127) pp. 1199-1203.

BOYLE P. et al., *European School of Oncology Advisory Report to the European Commission for the “Europe Against Cancer Programme” European Code Against Cancer.* Euro J Cancer. 1995, 31 (9) pp. 1395-1405.

BUCHNER F.L. et al., *Consumption of vegetables and fruit and the risk of bladder cancer in European Perspective Investigation into Cancer and Nutrition.* Int J Cancer 2009, (129) pp. 2643-2651.

Carmichael S. L. et al. *Reduced Risks of Neural Tube Defects and Orofacial Clefts With Higher Diet Quality.* Arch Pediatr Adolesc Med, 2012, 166(2), pp. 121-126.

Continuous Update Project Report Summary. Food Nutrition, Physical Activity and the Prevention of Colonrectal Cancer. World Cancer Research Fund, American Institute for Cancer Research 2011 (vedi link sito).

- DAVIS M.S. et al. *More favorable dietary patterns are associated with lower glycemic load in older adults.* J Am Diet Assoc, 2004, 104 (12) pp. 1828-1835.
- De Munter J.S. et al. *Whole grain, bran and germ intake and risk of type 2 diabetes: a prospective cohort study and systematic review.* PloS Med 2007, 4 p261.
- Demosthenes B. et al., *Association between the prevalence of obesity and adherence to the*
- FERNANDEZ-MAR M.I. et al., *Bioactive compound in wine: resveratrol, hydroxytyrosol and melatonin: a review.* Food Chem. 2012, (130) pp. 797-813.
- Food Nutrition, Physical Activity and the Prevention of Cancer: a global perspective World Cancer Research Fund, American Institute for Cancer Research; Washington (DC) 2007.
- Guallar-Castillón P. et al. *Major dietary patterns and risk of coronary heart disease in middle-aged persons from a Mediterranean country: The EPIC-Spain cohort study.* Nutr Met & Card Dis 2012, (22), pp. 192-199.
- Guide to Breast Cancer. American Society of Clinical Oncology. 2008. p. 6. Retrieved 29 June 2009.
- Hardman W.E. et al., *Dietary walnut suppresses mammary gland tumorigenesis in the C(3) 1 TAg mouse.* Nutr Cancer 2011, 63(5) pp. 960-70.
- HASHIM Y.Z. et al., *Inhibitory effects of olive oil phenolics on invasion in human adenocarcinoma cells in vitro.* Int J Cancer 2008, 122 (3) pp. 495-500.
- JACOBS D.R. et al., *Whole-grain Intake is associated with a reduced risk of cardiovascular, noncancer death attributed to inflammatory disease in the IOWA Women's Health Study.* Am J Clin Nutr 2007, (85) pp 1606-1614.
- Kastorini M.C. et al., *The Effect of Mediterranean Diet on Metabolic Syndrome and its Components: A Meta-Analysis of 50 Studies and 534,906 Individuals,* J. Am. Coll. Cardiol. 2011, 15 (57) pp.1299 - 1313.
- KEYS A.B. and KEYS M. *How to Eat Well and Stay Well. The Mediterranean Way.* 1975 Doubleday Garden City NY.
- KRIS-ETHERTON P.M. et al., *Fish Consumption, fish oil, omega 3 fatty acids and cardiovascular disease.* Circulation 2002, (106) pp. 2747-2757.
- LEAF A. *Dietary Prevention of Coronary Heart disease: The Lyon Heart Study.* Circul 2011, pp. 732-735.
- Lof M. and Weiderpass *Epidemiologic evidence suggests that dietary phytoestrogen intake is associated with reduced risk of breast, endometrial, and prostate.* Cancers Nutr Res , 2006 pp. 609 – 619.
- Machowertz A. et al., *Effect of olive oils on biomarkers of oxidative DNA stress in Northern and Southern Europeans.* FASEB J 2005, (20), pp. 45-52.
- McGrowder D. et al. *The Role of High-Density Lipoproteins in Reducing the Risk of Vascular Diseases, Neurodegenerative Disorders, and Cancer.* Cholesterol, 2011Article ID 496925, 9 pages doi:10.1155/2011/496925 .
- MELLEN P.B. et al., *Whole grain intake and cardiovascular disease: A meta-analysis.* Nutr Metab Cardiovasc Dis. 2007, doi:10.1016/j.numecd.2006.12.008.
- Ministero della Salute – Ministero della Pubblica Istruzione. Progetto “Sistema di indagini sui rischi comportamentali in età 6-17 anni. OKkio alla SALUTE” risultati 2010.
- MODUN S. *Uric Acid and Antioxidant Effects of Wine* doi: 10.3325/cmj.2010.51.16 www.cmj.hr Croat Med J. 2010, (51) pp.16-22.
- MULERO J. et al., *Antioxidant activity and phenolic composition of organic and conventional grapes and wines.* J Food Comp Anal. 2010, (23) pp. 569–574.

- O'Neil C. A. et al. *Whole grain and fiber consumption are associated with lower body weight measures in US adults: National Health Examination Survey 1999-2004*. Nutr Res, 2010 (30) pp. 815-822.
- PANGIOTAKOS D. et al., *Association between the prevalence of obesity Mediterranean diet: the ATTICA study*. Nutrition 2006, 22 (5) pp. 449 – 456.
- PIERCE J.P. *Influence of a diet very high in vegetables, fruit, and fiber and low in fat on prognosis following treatment for breast cancer*. JAMA 2007, 298(3) pp. 289- 297.
- RIGACCI S. et al., *Oleuropein aglycon prevents cytotoxic amyloid aggregation of human amylin*. J Nutr Biochem. 2010, (8) pp.726-735.
- ROOM R. et al., *Alcohol and public health*. The Lancet 2005, 365 (9458): 519. doi:10.1016/S0140-6736(05)17870-2. PMID 15705462.
- ROSE D.P. *Omega-3 fatty acid as a cancer chemopreventive agents*. Pharmacology & Therapeutics 1999, (83) pp. 217-244.
- ROS E. et al., *A walnut diet improves endothelial function in hypercholesterolemic subjects. A randomized crossover trial*. Circulation 2004,(109) 1609-1614.
- SERAFINI M. et al., *Alcohol free red wine enhances plasma antioxidant capacity in humans*. Hum Nutr. Metab. (1998), pp 1003-1007.
- SAMIERI C et al., *Olive oil consumption, plasma oleic and stroke incidence*. Neurology 2011; doi:10.1212/WNL.0b013e318220abeb.
- Shai I. et al. *Weight Loss with a Low-Carbohydrate, Mediterranean or Low-fat Diet*. The New Eng J Medicine 2008, 359 (3), pp. 229-244.
- SOFI F. et al., *Dietary Habits, lifestyle and cardiovascular risk factors in a clinical healthy Italian population: the "Florence " diet is not Mediterranean*. Eur J Clin Nutr. 2005 (59) pp. 584-591.
- Trichopolou A. et al., *Mediterranean Diet and survival among patients with coronary hearth disease in Greece*. Arch Int Med 2011, (165) pp. 929-935.
- Tripoli E. et al., *The phenolic compounds of olive oil: structure, biological activity and beneficial effects on human health*. Nutr Res Rev. 2005, (98) pp.112-118.
- Tuttle K. R. et al. *Comparison of low-fat versus Mediterranean-Style Dietary intervention after first myocardial infarction (from the Hearth Institute of Spokane Diet Intervention and Evaluation Trial*. Am J Card. 2008, pp. 1523-1530.
- Vujkovic M. et al. *The maternal Mediterranean dietary pattern is associated with a reduced risk of spina bifida in the offspring*. BJOG 2009, (116), pp. 408–415.
- WILLCOX D.C. et al., *The Okinawan diet: health implication of a low calorie, nutrient–dense, antioxidant-rich dietary pattern in low glycemic load*. J Am Coll Nutr. 2009, Suppl 500S-516S.
- XANTHOPOULOU M. et al., *Antioxidant and anti-inflammatory activity of red and white wine extracts*. Food Chem. 2010, (120) pp. 665–672.
- Zapze I. et al. *A Large Randomized Individual and Group Intervention Conducted by Registered Dietitians Increased Adherence to Mediterranean-Type Diets: The PREDIMED Study*. J Amer Diet Assoc, 2008, 108 (7), pp. 1134-1144.
- ABDULLAEV F.I. and Espinosa-Aguirre J.J. *Biomedical properties of saffron and its potential use in cancer therapy and chemoprevention trials*. Cancer Detect Prev. 2004, (28), pp. 426–432.
- BELKACEMI A. et al., Challenges associated with curcumin therapy in Alzheimer disease. Expert Rev Mol Med. 2011, (4) pp. 13-34.**

- BONACCORSI P. et al., *Flavonol glucosides in Allium species: a comparative study by means of HPLC-DAD-ESI-MS-MS*. Food Chem. 2008, 107(4) pp. 1668-1673.
- BOTSOGLOU N.A. et al., *The effect of dietary oregano essential oil oxidation in raw and cooked chicken during refrigerated*. Meat Sci. 2002, 62 (2) pp. 259-265.
- CALLISTE C.A., et al., *A new antioxidant from wild nutmeg*. Food Chem. 2010, 118 (3), pp. 489–96.
- CHATTERJEE S., et al., *Antioxidant activity of some phenolic constituents from green pepper (Piper nigrum L.) and fresh nutmeg mace (Myristica fragrans)*. Food Chem. 2007, 101 (2), pp. 515–23.
- DASGUPTA T et al., *Chemodulatory efficacy of Basil leaf (Ocimum basilicum) on drug metabolizing and antioxidant enzyme, and on carcinogen-induced skin and forestomach papillomagenesis*. Phytomed. 2004, 11 (2-3) pp. 139-151.
- DELAQUIS P.J. et al., *Antimicrobial activity of individual and mixed fractions of dill, cilantro, coriander and eucalyptus essential oils*. Int J Food Microbiol. 2002, (74), pp. 101–109.
- ERKAN N. et al., *Antioxidant activities of rosemary (Rosmarinus officinalis L.) extract, blackseed (Nigella sativa L.) essential oil, carnosinic acid, rosmarinic acid and sesamol*. Food Chem. 2008 (110) pp. 76-82.
- FASSEAS M.K., et al., *Antioxidant activity in meat treated with oregano and sage essential oils*. Food Chem. 2008, 106 (3), pp. 1188–1194.
- GAYATHRI G.N., et al., *Influence of antioxidant spices on the retention of β -carotene in vegetables during domestic cooking processes*. Food Chem. 2004, (84), pp. 35–43.
- GEORGANTELIS D., et al., *Effect of rosemary extract, chitosan and α -tocopherol on lipid oxidation and color stability during frozen storage of beef burgers*. Meat Sci. 2007, (75), pp. 266–274.
- GULCIN I. et al., *Antioxidant activity of clove oil-A powerful antioxidant source*. Arabian J. Chem 2010, 10.1016/j.arabjc.2010.09.016.
- HARNAFI H. et al., *Sweet Basil (Ocimum basilicum L.) improves lipid metabolism in hypercholesterolemic rats*. European J Clinical Nutr. Metab. 2009, (4), pp. 181–186.
- HE F.J., MACGREGOR G.A. *Salt reduction lowers cardiovascular risk: meta-analysis of outcome trials*. Lancet 2011, (378), pp. 380–382.
- KARABAGIAS I. et al., *Shelf-life extension of lamb meat using thyme and oregano essential oils and modified atmosphere packaging*. Meat Sci. 2011, (88) pp.109-116.
- LAI K.C. et al., *Diallyl sulfide, diallyl disulfide, and diallyl trisulfide inhibit migration and invasion in human colon cancer colo 205 cells through the inhibition of matrix metalloproteinase-2,-7, and -9 expressions*. Environ Toxicol. 2011 (21) DOI:10.1002/tox.20737.
- LISIEWSKA Z. et al., *Content of vitamin C, carotenoids, chlorophylls and polyphenols in green parts of dill (Anethum graveolens L.) depending on plant height*. J Food Comp and Anal. 2006, (19), pp. 134-140.
- LOZIENE K. et al., *Radical scavenging and antibacterial properties of the extracts from different Thymus pulegioides L. chemotypes*. Food Chem. 2007, (103), pp. 546-559.
- HESSIEN M. et al., *Growth inhibition of human non-small lung cancer cell H460 by green tea and ginger polyphenols*. Anticancer Agents Med Chem. 2011 (25).
- HSU Y.L. et al., *4-Shogaol, an active constituent of dietary ginger, inhibits metastasis of MDA-MB-231 human breast adenocarcinoma cells by decreasing the repression of NF- κ B/Snail on RKIP*. J Agric Food Chem. 2012, 25 60(3) pp. 852-856
- MELNYK, J.P. et al., *Chemical and biological properties of the world's most expensive spice*. Saffron Food Res Int. 2010, (43), pp. 1981-1989.

NACIYE E., et al. *Antioxidant activities of rosemary (Rosmarinus Officinalis L.) extract, blackseed (Nigella sativa L.) essential oil, carnosic acid, rosmarinic acid and sesamol*. Food Chemistry 2008, 110 (1), pp. 76-82.

NG T.P. et al., *Curry consumption and cognitive function in the elderly*. Am J Epidemiol. 2006, 164(9) pp. 898-906.

OJHA R.P. et al., *Neuroprotective effects of curcuminoids against inflammation-mediated dopaminergic neurodegeneration in the MPTP model of Parkinson's disease*. J Neuroimmune Pharmacol. 2012 (21).

PING H. et al., *Antidiabetic effects of cinnamon oil in diabetic KK-A mice*. Food and Chem Tox. 2010, (48) pp-2344-2348.

PLENGSURIYAKARN T et al., *Anticancer activities against cholangiocarcinoma, toxicity and pharmacological activities of Thai medicinal plants in animal models*. BMC Complement Altern Med. 2012, 27 (1) pp. 23-28.

QIN B. et al., *Cinnamon extract (traditional herb) potentiates in vivo insulin-regulated glucose utilization via enhancing insulin signaling in rats*. Diabetes Res Clin Pract. 2003, (62), pp.139-148.

SCHOENE N.W., et al., *Water-soluble polymeric polyphenols from cinnamon inhibit proliferation and alter cell cycle distribution patterns of hematologic tumor cell lines*. Cancer Lett. 2005, (230), pp. 134-140.

SIKORA E. et al., *Curcumin, inflammation, ageing and age-related diseases*. Immun Ageing 2010 (7)1, pp. 1.

SHUKLA Y. and Singh M. *Cancer preventive properties of ginger: a brief review*. Food Chem Toxicol. 2007, (45), pp. 683-690.

SRUKRI R. et al., *Cloves protect the heart, liver and lens of diabetic rats*. Food Chem. 2011 (122) pp. 1116-1121.

SHYU Y.S. et al., *Evaluation of antioxidant ability of ethanolic extract from dill (Anethum graveolens L.) flower*. Food Chem. 2009, (115), pp. 515–521.

SLAMENOVA D. et al., *Rosemary -stimulated reduction of DNA strand breaks and FPG-sensitive site in mammalian cell treated with H₂O² or visible light excited Methylene Blue*. Cancer Lett. 2002, 177 (2) pp. 145-153.

SOCIETÀ ITALIANA DI NUTRIZIONE UMANA (SINU) – Gruppo di lavoro intersocietario per la Riduzione del consumo del sodio in Italia (GIRSCI). *Meno Sale e più Salute contro l'ipertensione e le malattie cardiovascolari*. Progetto WASH (World Action on Salt & Health, Marzo 2011).

SU L. et al., *Total phenolic contents, chelating capacities, and radical-scavenging properties of black peppercorn, nutmeg, rosehip, cinnamon and oregano leaf*. Food Chem. 2007, 100, pp. 990-997.

SUNG B. et al., *Cancer cell signaling pathways targeted by spice-derived nutraceuticals*. Nutr. Cancer 2012, 64(2) pp.173-9.

TSUBURA A. et al., *Anticancer effects of garlic and garlic-derived compounds for breast cancer control*. Anticancer Agents Med Chem. 2011, 11(3), pp. 249-53.

TSUGANE S. et al., for the JPHC Study Group. *Salt and salted food intake and subsequent risk of gastric cancer among middle-aged Japanese men and women*. Br J Cancer 2004, (90), pp. 128–134.

WANG Z. et al., *Allicin induces apoptosis in EL-4 cells in vitro by activation of expression of caspase-3 and -12 and up-regulation of the ratio of Bax/Bcl-2*. Nat Prod Res. 2011 (9) 1-5. DOI: 10.1080/14786419.2010.550894.

WIGLER I. et al., *The effects of Zintona EC (a ginger extract) on symptomatic gonarthrosis*. Osteoar. Cartilag. 2003, 11 (11) pp. 783-789.

WANG N. et al., *Effect of cooking on the composition of beans (Phaseolus vulgaris L.)*

and chickpeas (*Cicer arietinum* L.). *Food Res Intern* 2010, (43) pp. 589–594.

WANG X-Q et al., *Review of salt consumption and stomach cancer risk: Epidemiological and biological evidence*. *World J Gastroenterol*. 2009, 15(18) pp. 2204–2213

WORLD HEALTH ORGANIZATION. *Less Salt, Less Risk, Reducing Salt Intake In Populations*.

ZICK S.M. et al., *Phase II study of the effects of ginger root extract on eicosanoid in colon mucosa in people at normal risk for colorectal cancer*. *Cancer Prev Res (Phila)*. 2011, 4 (11) pp.1929-37.

AGUILAR F. et al., *Safety of aluminium from dietary intake I*. Scientific Opinion of the Panel on Food Additives, Flavourings, Processing Aids and Food Contact Materials (AFC) (Question Nos EFSA-Q-2006-168 and EFSA-Q-2008-254). Adopted on 22 May 2008. *The EFSA Journal* 2008, (754) pp. 1-34.

Alavanja M.C.R. et al., *Lung cancer risk and red meat consumption among Iowa women*. *Lung Cancer* 2001, (34) pp. 37-46.

Ballarini G. *Salumi e Salute. Il vero e il falso di ogni giorno*. Edagricole 2005.

BERGAMO P. et al., *Fat soluble vitamin contents and fatty acid composition in organic and conventional Italian dairy products*. *Food Chem*. 2003, 82 pp. 625-631.

Bourn D. et al., *A comparison of nutritional value, sensory qualities and food safety of organically and conventionally produced foods*. *Crit Rev Food Sci Nutr*. 2002, 42 (1) pp. 1-34.

Brandt K et al., *Organic agriculture: does it enhance or reduce the nutritional value of plant foods?* *J Agric Food Sci*. 2001, (81) pp. 924-931.

CANNELLA C., Bernardi E. *Salumi italiani al servizio dell'alimentazione moderna*. Casa Editrice Università la Sapienza, 2006.

Cho E. et al., *Red meat intake and risk of breast cancer among premenopausal women*. *Arch. Int. Med*. 2006, pp. 2253-2258.

Commission Directive 2011/8/EU of 28 January 2011 amending Directive 2002/72/EC as regards the restriction of use of Bisphenol A in plastic infant feeding bottles Text with EEA relevance.

Commission Regulation (EU) No 1282/2011 of 28 November 2011 amending and correcting Commission Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food Text with EEA relevance.

Dangour D.A. et al., *Nutritional quality of organic foods: a systematic review*. *Am J Clin Nutr*. 2009, (90) pp. 680-685.

Decreto 12 aprile 2000 recante la "Individuazione dei criteri di rappresentanza negli organi sociali dei consorzi di tutela delle denominazioni di origine protette (DOP) e delle indicazioni geografiche protette (IGP)".

Decreto 12 aprile 2000 recante le "Disposizioni generali relative ai requisiti di rappresentatività dei Consorzi di tutela delle denominazioni di origine protette (DOP) e delle indicazioni geografiche protette (IGP)".

Decreto legislativo n.181 del 23 giugno 2003 (attuazione della direttiva 2000/13/CE concernente l'etichettatura e la presentazione dei prodotti alimentari, nonché relativa pubblicità.

Di Renzo L. et al., *Is antioxidant plasma status in humans a consequence of the antioxidant food content influence?* *Eur Rev Med Pharmacol Sci*. 2007, 11 (3) pp.185-92.

Direttiva 1999/74/CE del Consiglio del 19 luglio 1999 che stabilisce le norme minime per la protezione delle galline ovaiole Gazzetta ufficiale delle Comunit. Europee L 203/53.

Direttiva 2000 /13 CE del Parlamento europeo e del Consiglio, del 20 marzo 2000, relativa al ravvicinamento delle legislazioni degli Stati membri concernenti l'etichettatura e la presentazione dei prodotti alimentari, nonché la relativa pubblicità.

European Food Safety Authority (EFSA). *Scientific Opinion on Dietary Reference Values for fats, including saturated fatty acids, polyunsaturated fatty acids, monounsaturated fatty acids, trans fatty acids and cholesterol*. Adottato: 4 dicembre 2009; pubblicato 25 marzo 2009.

Flonta S.E. et al., *Expression and Functional Regulation of Myoglobin in Epithelial Cancers*. *Am J Pathol*, 2009, (174) pp. 2611-2616.

Fraser G. et al., *Association between diet and cancer, ischemic heart disease and all cause of mortality in non-Hispanic white California Seventh-day Adventists*. *Am. J. Clin. Nutr.* 1999, 70 (3 Suppl) pp. 532S–538S. .

Gamna D. et al., *The possible role of female sex hormones in milk from pregnant cows in the development of breast, ovarian and corpus uteri cancers*. *Medical Hypotheses* 2005, 65 (6) pp. 1028-1037 .

Giovannucci E. et al., *A prospective study of dietary fat and risk of prostate cancer*. *J. Nat. Can. Inst.* 1993, 85 (19) pp. 1571–1579. doi:10.1093/jnci/85.19.1571.

González-Gallego J. et al., *Fruit polyphenols, immunity and inflammation*. *Br J Nutr.* 2010, 104 (3) S pp. 15-27.

Hassimoto N.M.A. et al., *Antioxidant capacity of Brazilian fruit, vegetables and commercially-frozen fruit pulp*. *J Food Com Anal.* 2009, (22) pp. 394-396.

INRAN-ISS-SIGE-SITI-SIMI-SIP. *Libro Bianco sul latte e i prodotti lattiero-caseari*. 2006. ASSOLATTE. Istituto Nazionale di Ricerca per gli Alimenti e la Nutrizione. *Linee Guida per una Sana Alimentazione Italiana*, 2003.

Istituto Salumi Italiani Tutelati, Istituto Valorizzazione Salumi Italiani, INRAN, Stazione Sperimentale per l'Industria delle Conserve Alimentari. *Salumi Italiani: Nuovo valori, Nuovo valore. Aggiornamento dei dati nutrizionali e ruolo dei salumi italiani nell'alimentazione moderna*. Settembre 2011.

Istituto superiore di Sanità, Centro Nazionale di Epidemiologia, Sorveglianza e Promozione della Salute (Cneps). *Nutrizione e Salute*. Luglio 2011.

Leclercq C. et al., *The Italian National Food Consumption Survey INRAN-SCAI 2005-06: main results in terms of food consumption*. *Public Health Nutr.* 2009, 12 (12), pp. 2504-32. (già citato).

Legge 21 dicembre 1999, n. 526 recante le "Disposizioni per l'adempimento di obblighi derivanti dall'appartenenza dell'Italia alle Comunità europee – legge comunitaria 1999". Lombardi-Boccia G. e Marletta L. *La carne bovina nella gastronomia italiana. Valore nutritivo di alcune ricette tipiche*. 2008. INRAN- Ministero delle Politiche Agricole Alimentari e Forestali.

Manzi P. et al., *Composizione dei formaggi DOP italiani*. *Riv Sci Alim.* 2007, (36) pp. 9- 22.

Marletta L. e Carnovale E. *Tabelle di Composizione degli Alimenti*. INRAN, 2000. EDRA, Medical Publishing and New Media.

Ministero della Salute – Ministero della Pubblica Istruzione. Progetto "Sistema di indagini sui rischi comportamentali in età 6-17 anni. OKkio alla SALUTE". risultati 2010.

Ministero delle Politiche Agricole, Alimentari e Forestali (MIPAAF). Elenco delle denominazioni italiane iscritte nel Registro delle denominazioni di origine protette e delle indicazioni geografiche protette (Regolamento CE n. 510/2006 del Consiglio del 20 marzo 2006). Aggiornato all'8 settembre 2011.

Opinion of the Scientific Panel on Food Additives, Flavourings, Processing Aids and Materials in Contact with Food on a request from the Commission related to 2,2-BIS(4-HYDROXYPHENYL)PROPANE (Bisphenol A) Question number EFSA-Q-2005-100 Adopted on 29 November 2006. *The EFSA Journal* 2006, (428) pp. 1-75.

Orban E. et al., *Farming quality of Tuna (Thunnus thynnus)*. *World Aquac.* 2008, 32 (2) 52-58.

ORBAN E. et al., *Qualità nutrizionale, sicurezza d'uso ed influenza del trattamento di cottura su specie ittiche tradizionali ed emergenti*. In: *Qualità Alimentare. Come la ricerca consente di valorizzare le produzioni agroalimentari italiane*. Ministero delle Politiche Agricole Alimentari e Forestali 2008, pp. 492-516.

Pan A. et al., *Red meat consumption and mortality*. Arch Intern Med 2012; DOI:10.1001/archinternmed.2011.2287. Available at: <http://www.archinternmed.com>.

Phillips K.M. et al., *Stability of 5-methyltetrahydrofolate in frozen fresh fruits and vegetables*. Food Chem. 2005, (92) pp 587-595.

Regolamento (UE) n. 1169/2011 del Parlamento Europeo e del Consiglio del 25 ottobre 2011 relativo alla fornitura di informazioni sugli alimenti ai consumatori, che modifica i regolamenti (CE) n. 1924/2006 e (CE) n. 1925/2006 del Parlamento europeo e del Consiglio e abroga la direttiva 87/250/CEE della Commissione, la direttiva 90/496/CEE del Consiglio, la direttiva 1999/10/CE della Commissione, la direttiva 2000/13/CE del Parlamento europeo e del Consiglio, le direttive 2002/67/CE e 2008/5/CE della Commissione e il regolamento (CE) n. 608/2004 della Commissione.

Regolamento CE N. 1898/2006 della Commissione del 14 dicembre 2006 recante modalità di applicazione del regolamento (CE) n. 510/2006 del Consiglio, relativo alla protezione delle indicazioni geografiche e delle denominazioni d'origine dei prodotti agricoli e alimentari.

Regolamento CE N. 628/2008 della Commissione del 2 luglio 2008 che modifica il Reg. CE N. 1898/2006 recante modalità di applicazione del regolamento (CE) n. 510/2006 del Consiglio, relativo alla protezione delle indicazioni geografiche e delle denominazioni d'origine dei prodotti agricoli e alimentari.

Regolamento CE. N. 510/2006 del Consiglio del 20 marzo 2006 relativo alla protezione delle indicazioni geografiche e delle denominazioni d'origine dei prodotti agricoli e alimentari.

Reg. (CE) 20 marzo 2006, n. 509/2006, Regolamento del Consiglio relativo alle specialità tradizionali garantite dei prodotti agricoli e alimentari.

AGUERO M.V. et al., *Sensory and biochemical changes in Swiss chard (*Beta vulgaris*) during blanching*. LWT 2005, (38) 772-778.

AHNE' L. et al., *Effect of crust temperature and water content on acrylamide formation during baking of white bread : steam and falling temperature baking*. LWT. 2007, (40) pp. 1708-1715.

AL S. et al., *Olive oil stability under deep-frying conditions*. Food Chem Tox. 2010 (48) pp. 2972-2979.

ALAJAIL S.A. et al., *Nutritional composition of chickpea (*Cicer arietinum* L.) as affected by microwave cooking and other traditional cooking methods*. J Food Comp Anal. 2006, (19) pp. 806-812.

ALFAIA C.M.M. et al., *Effect of cooking methods on fatty acids, conjugated isomers of linoleic acid and nutritional quality of intramuscular fat*. Meat Sci. 2010, (84) pp. 769-777.

ANDERSON K.E., et al. *Meat intake and cooking techniques: associations with pancreatic cancer*. Mut Res 2002, (506), pp. 225-231.

BARBANTI D. and Pasquini M. *Influence of cooking conditions on cooking loss and tenderness of raw and marinated chicken breast meat*. Lebensmittel Wissenschaft Technol 2005, (38), pp. 895-901.

BEJERHOLM C., AASLYNG M.D. *The influence of cooking technique and core temperature on results of a sensory analysis of pork depending on the raw meat quality*. Food Qual Pref, 2004, 15,(1), pp. 19-30.

BERNHARDT S. and SCHLICH E. *Impact of different cooking methods on food quality: retention of lipophilic vitamins in fresh and frozen vegetables*. J Food Eng 2006, (77), pp. 327-333.

- BRONCANO J.M. et al., *Effect of different cooking methods on lipid oxidation and formation of free cholesterol oxidation products (COPs) in Latissimus dorsi muscle of Iberian pigs*. Meat Sci. 2009 (83) pp. 431-437.
- CHUAH A.M. et al., *Effect of cooking on the antioxidant properties of coloured peppers*. Food Chem. 2008, (111) pp. 20–28.
- CREED P.G. *The sensory and nutritional quality of sous vide foods*. Food Control 1995, (6) pp. 45–52.
- CRISTINA M.M., et al. *Effect of cooking methods on fatty acids, conjugated isomers of linoleic acid and nutritional quality of beef intramuscular fat*. Meat Science 2010, (84) 4, pp. 769–777.
- DANG J. et al., *Folate retention in selected processed legumes*. Food Chem. 2000, (68) pp. 295-298.
- EFSA. *Acrylamide carcinogenicity new evidence in relation to dietary exposure*. Scientific colloquium series of the European Food safety authority n 11, May 2008.
- EFSA. *Results on acrylamide levels in food from monitoring years 2007-2009 and Exposure assessment*. EFSA Journal 2011;9(4):2133- 2181.
- FERRACANE R., et al. *Effects of different cooking methods on antioxidant profile, antioxidant capacity, and physical characteristics of artichoke*. J Agric Food Chem. 2008, (56) pp. 8601–8608.
- FRANCISCO M. et al., 2010. *Cooking methods of Brassica rapa affect the preservation of glucosinolates, phenolics and vitamin C*. Food Res Int. 2010, (43) 1455-1463.
- GARCÍA-ARIAS M.T., et al. *Cooking–freezing–reheating (CFR) of sardine (Sardina pilchardus). Effect of different cooking and reheating procedures on the proximate and fatty acid compositions*. Food Chemistry 2003, (83), pp. 349–356.
- GARCIA-ARIAS, M.T., et al. *Grilling of sardine fillets. Effects of frozen and thawed modality on their protein quality*. Lebensmittel-Wissenschaft und Technologie 2003, (36), pp. 763–769.
- GAŠPERLIN L., et al. *Effects of skin and grilling method on formation of heterocyclic amines in chicken pectoralis superficialis muscle*. LWT – Food Science and Technology 2009, (42), pp. 1313–1319.
- GERBER N., et al. *The influence of cooking and fat trimming on the actual nutrient intake from meat*. Meat Sci 2009, (81), pp.148–154.
- GÖKMEN V., et al. *Effects of dough formula and baking conditions on acrylamide and hydroxymethylfurfural formation in cookies*. Food Chemistry 2007, 104 (3) pp. 1136-1142.
- HORNERO-MÉNDEZ D., et al. *Bioaccessibility of carotenes from carrots: effect of cooking and addition of oil*. Innovat Food Sci Emerg Technol. 2007, (8), pp. 407–412.
- JASWIR I. et al., *Use of natural antioxidants in refined palm olein during repeated deep-fat frying*. Food Res Inter. 2000, (33) pp. 501-508.
- JOHANSSON M., et al. *Folate content in frozen vegetarian ready meals and folate retention after different reheating methods*. LMW-Food Science and Technology 2008, (41) pp. 528-536.
- JONES R.B. et al., *Cooking method significantly effects glucosinolate content and sulforaphane production in broccoli florets*. Food Chem 2010, 123 (2) pp. 237-242.
- JUAREZ M. et al., *Buffalo meat composition as affected by different cooking methods*. Food Bio Proc. 2010, (88) pp. 145-148.
- KALOUSTIAN J. et al., *Effect of water cooking on free phytosterol levels in beans and vegetables*. Food Chem. 2008, (107) pp. 1379-1386.
- KITA A. et al., *The effects of oils and frying temperatures on the texture and fat content in potato crisps*. Food Chem. 2007, (102) pp. 1-5.

- KUMAR S. et al., *Nutrient retention in foods after earth-oven cooking compared to other forms of domestic cooking.2. Vitamins*. J Food Comp Anal 2006, (19) pp. 311-320.
- LESKOVA E., et al. *Vitamin losses: retention during heat treatment and continual changes expressed by mathematical models*. J Food Compost Anal 2005, (19), pp. 252–76.
- LESZCZYNSKA T et al., *Effects of some processing methods on nitrate and nitrite changes in cruciferous vegetables*. J Food Comp Anal. 2009, (22) pp. 315-321.
- MARANESI M. et al., 2005. *Effect of microwave cooking or broiling on selected nutrient contents, fatty acid patterns and true retention values in separable lean from lamb rib-loins, with emphasis on conjugated linoleic acid*. Food Chem. 2005, (90) 207-218.
- MAZZEO T., et al. *Effect of two cooking procedures on phytochemical compounds, total antioxidant capacity and colour of selected frozen vegetables*. Food Chemistry 2011, 128, (3), pp. 627-633.
- MIGLIO C. et al., *Effects of different cooking methods on nutritional and physico-chemical characteristics of selected vegetables*. J Agric Food Chem. 2008, (56) pp. 139-147.
- MINISTERO DELLA SALUTE. *Poco sale e solo iodato*. Direzione Generale della Sicurezza degli Alimenti e la Nutrizione, Direzione Generale della Comunicazione e Relazioni Istituzionali.
- ORNELAS-PAZ J.D.J. et al., *Effect of heat treatment on the content of some bioactive compounds and free radical-scavenging in pungent and non-pungent peppers*. Food Res Int. 2011.
- OZ F. and Kaya M. *The inhibitory effect of black pepper on formation of heterocyclic aromatic amines in high-fat meatball*. J Food Control 2011, 22 (3/4), pp. 596-600.
- PELLEGRINI NICOLETTA, MANZI CHIARA et al., *Comparison of the nutritional quality of sous vide and conventionally processed carrots and brussels sprouts*. In: Atti del Convegno Fruit & Vegetables Processing, Avignon, France 18-21 April 2011.
- PETERSEN M.A. *Influence of sous vide processing, steaming and boiling on vitamin retention and sensory quality in broccoli florets*. Ziebenson Unters Forsch 1993, (197), pp. 375–380.
- PICOUET P.A. et al., *Stability of sous-vide cooked salmon loins processed by high pressure*. inn food sci em techn 2011, (12) pp. 26-31.
- QUILES J.L. et al., *Role of vitamin E and phenolics compounds in the antioxidant capacity, measured by ESR, of virgin olive, olive and sunflower oils after frying*. Food Chem. 2002, (76) pp. 461-468.
- RAMIREZ M. R. et al., *Effects of the type of frying with culinary fat and refrigerated storage on lipid oxidation and colour of fried pork loin chops*. Food Chem. 2004, (88) 85-94.
- RANAU R. et al., *Aluminium levels of fish fillets baked and grilled in aluminium foil*. Food Chem., 2001 (73) 1-6.
- RODRIGUES A.S., et al. *Effects of curing and cooking on flavonols and anthocyanins in onion bulbs*. Food Research International 2009, 42 (9), pp. 1331–1336.
- ROMERO A. et al., *Trans fatty acid production in deep fat frying or frozen foods with different oils and frying modalities*. Nutr Res. 2000, (20) 4 pp. 599-608.
- SALDANHA T., et al. *Fatty acid contents evolution and cholesterol oxides formation in Brazilian sardines (Sardinella brasiliensis) as a result of frozen storage followed by grilling*. LWT 2008, (41), pp. 1301–1309.
- SIOEN I., et al., *Effects of pan-frying in margarine and olive oil on the fatty acid composition of cod and salmon*. Food Chem. 2006, (98) pp. 609-617.
- SOMSUG W. et al., *Effects of three conventional cooking methods on vitamin C, tannin, myo-inositol phosphates contents in selected Thai vegetables*. J Food Comp Anal. 2008, (21) pp. 187-197.
- SONG et al., *Color, texture, nutrient contents, and sensory values of vegetable soybeans (Glycine max L. Merrill) as affected by blanching*. Food Chem. 2003, (83) pp. 69-74.

STEA T.H., et al. *Retention of folates in cooked; stored and reheated peas, broccoli and potatoes for use in modern large-scale service systems*. Food Chemistry 2006, (101), pp. 1095–1107.

TURHAN S. et al., *Effect of cooking methods on total and iron contents of anchovy (*Engraulis encrasiolus*)*. Food Chem. 2004 (88) pp. 169-172.

TURKMEN N. et al., *The effect of cooking methods on total phenolics and antioxidant activity of selected green vegetables*. Food Chem. 2005, (93) pp. 713-718.

VIADÉL B. et al., *Effects of cooking and legume species upon calcium, iron and zinc uptake by Caco-2-cells*. J Trace Elem Med Biol. 2006, (20) pp.115-120.

VOLDEN J. et al., *Processing (blanching, boiling, steaming) effects on the content of glucosinolates and antioxidant-related parameters in cauliflower (*Brassica oleracea* L. ssp *botrys*)*. LWT Food Sci and Techn. 2009, (42) pp.63-73.

WATCHEL-GALOR S. *The effect of cooking on Brassica vegetables*. Food Chem. 2008, (110) pp.706-710.

WEN T. N. et al., *Bioactive substance contents and antioxidant capacity of raw and blanched vegetables*. Inn Food Sci Em Techn. 2010, (11) pp. 464-469.

WRANGHAM R. et al.,

XU B., CHANG S.C.K. *Effect of soaking, boiling, and steaming on total phenolic content and antioxidant activities of cool season food legumes*. Food Chem. 2008, (110) 1-13.

ZHANG D. et al., *Phenolics, ascorbic acid, carotenoid and antioxidant activity of broccoli and their changes during conventional and microwave cooking*. Food Chem. 2004, (88) 503-509.

Kmiecik, W., Korus, A., Lisiewska, Z. (2007). Retention of mineral constituents in frozen brassicas depending on the method of preliminary processing of the raw material and preparation of frozen products for consumption. Eur Food Res Technology, (6), 573-579.

Bernhardt, S., Schlich, E. (2006). Impact of different cooking methods on food quality: retention of lipophilic vitamins in fresh and frozen vegetables. Journal of Food Engineering, (6), 327-333.

Benzie, I.F., Galor-Wachtel, S., Wong, K. (2008). The effect of cooking on Brassica vegetables. Food Chemistry, (4), 706-710.

Podsdek, A. (2007). Natural antioxidant and antioxidant capacity of Brassica vegetables: A review. LWT, (11), 1-11.

Gebczynski, P., Kmiecik, W. (2007). Effects of traditional and modified technology, in the production of frozen cauliflower, on the contents of selected antioxidative compounds. Food Chemistry, (6), 229-235.

Hamaizu, Y., Zhang. (2004). Phenolics, ascorbic acid, carotenoids and antioxidant activity of broccoli and their changes during conventional and microwave cooking. Food Chemistry, (6), 503-509.

Song, L., Thornalley, P. (2007). Effect of storage, processing and cooking on glucosinolate content of Brassica vegetables. Food and Chemical Toxicology, (8), 216-224.

Duncan, A.J., Fuller, Z., Ratcliffe, B., Rungapamestry, V. (2008). Influence of blanching and freezing broccoli prior to storage and cooking on glucosinolate concentrations and myrosinase activity. Eur Food Res Technology, (7), 37-44.

Barberan-Tomás, F.A., Vallejo, F., Viguera-García, C. (2002). Glucosinolate and vitamin C content in edible parts of broccoli florets after domestic cooking. Eur Food Res Technology, (6), 310-316.

- Dekker, M., Verkerk, R., Volden, J., Wicklund, T. (2008). Kinetics of Changes in Glucosinolate Concentrations during Long-Term Cooking of White Cabbage. *Journal of Agricultural and Food Chemistry*, (5), 2068-2073.
- Koziolkiewicz, M., Podsedek, A., Redzynia, M., Sosnowska, D. (2008). Effect of domestic cooking on the red cabbage hydrophilic antioxidants. *International Journal of Food Science and Technology*, (7), 1770-1777.
- Cieslik, E., Florkiewicz-Filipiak, A., Leszczynska, T., Pisulewski, P.M., Sikora, E. (2007). Effects of some technological processes on glucosinolate contents in cruciferous vegetables. *Food Chemistry*, (5), 976-981.
- Gajewski, M., Kosakowska, O., Przybyl, J., Szymczak, P. (2009). Some factors influencing free sterols content in broccoli. *Journal of Food Biochemistry*, (13), 881-891.
- Poyrazoglu, E.S., Sari, F., Turkmen, N., Velioglu, S. (2006). Effects of cooking methods on chlorophylls, pheophytins and colour of selected green vegetables. *International Journal of Food Science and Technology*, (7), 281-288.
- Rennie, C., Wise, A. (2009). Preference for steaming of vegetables. *Journal of Human Nutrition and Dietetics*, (2), 108-110.
- Bernas, E., Gebczynski, P., Kmiecik, W., Lisiewska, Z. (2009). Retention of mineral constituents in frozen leafy vegetables prepared for consumption. *Journal of Food Composition and Analysis*, (5), 218-223.
- Andjelkovic, M., Bobis, O., Bunea, A., Neacsu, M., Socaciu, C., Van Camp, J., Verhè, R. (2008). Total and individual carotenoids and phenolic acids content in fresh, refrigerated and processed spinach. *Food Chemistry*, (7), 649-656.
- Islam, M., Rehman, Z., Shah, W.H. (2003). Effect of microwave and conventional cooking on insoluble dietary fibre components of vegetables. *Food Chemistry*, (3), 237-240.
- De Sà, M.C., Rodriguez-Amaya, D.B. (2003). Carotenoid composition of cooked green vegetables from restaurants. *Food Chemistry*, (5), 595-600.
- Aherne, S.A., O'Brien, N.M., O'Connell, O., O'Sullivan, L., Ryan, L. (2008). Micellarisation of carotenoids from Raw and Cooked Vegetables. *Plant Foods Hum Nutr*, (6), 127-133.
- Lister, C.E., Sahlin, E., Savage, G.P. (2004). Investigation of the antioxidant properties of tomatoes after processing. *Journal of Food Composition and Analysis*, (12), 635-647.
- King, J.M., Mayeaux, M., Prinyawiwatkul, W., Xu, Z. (2006). Effects of cooking conditions on the Lycopene content in Tomatoes. *Food Chemistry and Toxicology*, (3), 461-464.
- Barrera, M.R., Beecher, G.R., Goli, B., Holden, J., Khachik, F., Lusby, W.R., Tenorio, M.D. (1992). Effect of Food Preparation on Qualitative and Quantitative Distribution of Major Carotenoid Constituents of Tomatoes and Several Green Vegetables. *Food Chemistry*, (8), 390-398.
- Sari, F., Turkmen, N., Velioglu, S. (2005). The effect of cooking methods on total phenolics and antioxidant activity of selected green vegetables. *Food Chemistry*, (5), 713-718.
- Gayathri, G.N., Platel, K., Prakash, J., Srinivasan, K. (2004). Influence of antioxidant spices on the retention of beta carotene in vegetables during domestic cooking processes. *Food Chemistry*, (8), 35-43.
- Chiavaro, E., Fogliano, V., Miglio, C., Pellegrini, N., Visconti, A. (2008). Effects of Different Cooking Methods on nutritional and Physicochemical Characteristics of Selected Vegetables. *Journal of Agricultural and Food Chemistry*, (8), 139-147.
- Gokmen, V., Palazoglu, T.K., Savran, D. (2010). Effect of Cooking Method (Baking Compared with Frying) on Acrylamide Level of Potato Chips. *Journal of Food Science*, (4), 25-29.

- Bacchiocca, M., Dalla Rosa, M., Rocculi, P., Romani, S. (2008). Effect of frying time on acrylamide content and quality aspects of French fries. *Eur, Food Res Technology*, (5), 555-560.
- Castell-Perez, E., Granda, C., Moreira, R. (2005). Effect of raw potato composition on acrylamide formation in potato chips. *Journal of Food Science*, (5), 519-524.
- Beta, T., Hydamaka, A., Li, W., Lu, Z., Xu, X. (2008). Phenolic content, composition, antioxidant activity, and their changes during domestic coking of potatoes. *Journal of Food Agricultural and Food Chemistry*, (7), 10231-10233
- Chiavaro, E., Ferracane, R., Fogliano, V., Graziani, G., Miglio, C., Pellegrini, N., Visconti, A. (2008). Effects of Different Cooking Methods on Antioxidant Profile, Antioxidant Capacity, and Physical Characteristics of Artichoke. *Journal of Agricultural and Food Chemistry*, (7), 8601-8608.
- Azzini, E., Durazzo, A., Fanasca, S., Maiani, G., Roupael, Y., Venneria, E. (2009). Antioxidant properties of raw and coked spears of green asparagus cultivars. *International Journal of Food Science and Technology*, (6), 1017-1023.
- Kmiecik, W., Korus, A., Lisiewska, Z., Slupski, J. (2010). Content of amino acids and the quality of protein in as-eaten green asparagus (*Asparagus officinalis* L.) products. *International Journal of Food Science and technology*, (6), 733-739.
- Garcia-Diz, L., Jimenez, A.M., Mariscal, M., Martinez, M., Murcia, M.A. (2009). Influence of Cooking Methods on Antioxidant Activity of Vegetables. *Journal of Food Science*, (6), 97-103.
- Prodanov, M., Sierra, I., Vidal-Valverde, C. (2004). Influence of soaking and coking on the thiamin, riboflavin and niacin contents of legumes. *Food Chemistry*, (6), 271-277.
- Barbera, R., Farrè, R., Lagarda, M., Sebastià, V. (2001). Effects of legume processing on calcium, iron and zinc contents and dialysabilities. *Journal of the Science of Food and Agriculture*, (5), 1180-1185.
- Gebczynski, P., Kmiecik, W., Lisiewska, Z., Slupski, J. (2008). Effect of preliminary and culinary processing on amino acid content and protein quality in frozen French beans. *International Journal of Food Science and Technology*, (5), 1786-1791.
- Gawalko, E.J., Hatcher, D.W., Toews, R., Wang, N. (2009). Influence of cooking and dehulling on nutritional composition of several varieties of lentils. *Food Science and Technology*, (6), 842-848.
- Gawalko, E.J., Hatcher, D.W., Toews, R.T., Wang, N. (2009). Composition of beans and chickpeas. *Food Science and Technology*, (13).
- Geoffriau, E., Herring, A., Lombard, K., Peffley, E., Thompson, L. (2005). Quercetin in onion (*Allium cepa* L.) after heat-treatment simulating home preparation. *Journal of Food Composition and Analysis*, (10), 571-581.
- Choi, H.S., Friedman, M., Kameyama, M., Kozukue, N., Lee, S.J., Lee, H.J., Lee, U.S., Levin, C.E. (2008). Flavonoid content in Fresh, Home-Processed, and Light-Exposed Onions and in Dehydrated Commercial Onion Products. *Journal of Agricultural and Food Chemistry*, (7), 8541-8548.
- Falcon-Garcia, M.S., Gandara-Siamal, J., Gregorio-Perez, M.R., Rodrigues, A.S. (2009). Effect of curing and coking on flavonols and anthocyanins in traditional varieties of onion bulbs. *Food Research International*, (5), 1331-1336.

Shoba G; Joy D; Joseph T; Majeed M; Rajendran R; Srinivas PS (May 1998). "Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers". *Planta Med* **64** (4): 353–6. doi:10.1055/s-2006-957450. PMID 9619120.

Curcumin and Diabetes: A Systematic Review [Dong-wei Zhang](#),¹ [Min Fu](#),² [Si-Hua Gao](#),¹ and [Jun-Li Liu](#)²Diabetes Research Center, Beijing University of Chinese Medicine, Beijing 100029, China

²Fraser Lab for Diabetes Research, McGill University Health Center, Montreal, Canada H3A 1A1 Evidence-Based Complementary and Alternative Medicine
Volume 2013 (2013), Article ID 636053, 16 pages

SITOGRAFIA PRINCIPALE

www.politicheagricole.it

www.salute.gov.it

www.inran.it

www.sapermangiare.mobi

www.assoziazionedietaediterranea.it

www.who.int

www.efsa.europa.eu/it/

www.ciscam.it

www.cucinaevolution.it

www.aicr.org

www.cdc.org

www.cancer.org

www.iss.it