

REFERENCES

- Abraham, R., Swart, J., Golberg, L., & Coulston, F. (1975). Electron microscopic observations of hypothalami in neonatal rhesus monkeys (*Macaca mulatta*) after administration of monosodium L-glutamate. *Exp. Mol. Pathol.*, 23(2), 203-213.
- Airoidi, L., Bizzi, A., Salmona, M., & Garattini, S. (1979). Attempts to establish the safety margin for neurotoxicity of monosodium glutamate. *Glutamic acid* (ed. by Filer, L.J. et al.). Raven Press, New York, USA, 321-331.
- Anantharaman, K. (1979). In utero and dietary administration of monosodium L-glutamate to mice: reproductive performance and development in a multigeneration study (ed. by Filer, L.J. et al.). Raven Press, New York, USA, 231-253.
- Araujo, P.E. & Mayer, J. (1973). Activity increase associated with obesity induced by monosodium glutamate in mice. *Amer. J. Physiol.*, 225(4), 764-765.
- Berry, H.K., Butcher, R.E., Elliot, L.A., & Brunner, R.L. (1974). The effect of monosodium glutamate on the early biochemical and behavioural development of the rat. *Develop. Psychobiol.*, 7, 165-173.
- Boaz, D.P., Stegink, L.D., Reynolds, W.A., Filer, L.J. Jr., Pitkin, R.M., & Brummel, M.C. (1974). Monosodium glutamate metabolism in the neonatal primate. *Fed. Proc.*, 33, 651.
- Caccia, S., Garattini, S., Ghezzi, P., & Zanini, M.G. (1982). Plasma and brain levels of glutamate and pyroglutamate after oral monosodium glutamate to rats. *Toxicol. Lett.*, 10(2-3), 169-175.
- Daabees, T.T., Andersen, D.W., Zike, W.L., Filer, L.J., & Stegink, L.D. (1984). Effect of meal components on peripheral and portal plasma glutamate levels in young pigs administered large doses of monosodium L-glutamate. *Metabolism*, 33, 58-67.
- Ebert, A.G. (1979). The dietary administration of L-monosodium glutamate, DL-monosodium glutamate, or L-glutamic acid to rats. *Toxicol. Lett.*, 3, 71-78.
- Everly, J.L. (1971). Light microscopy examination of monosodium glutamate-induced lesions in the brain of fetal and neonatal rats. *Anat. Rec.*, 169, 312.
- Food and Drug Research Laboratories (1974). Teratologic evaluation of FDA 71-69 (monosodium glutamate) in mice, rats and rabbits. NTIS, PB-234-865.

- Ghadimi, H., Kumar, S., & Abaci, F. (1971). Studies on monosodium glutamate ingestion. I. Biochemical explanation of Chinese restaurant syndrome. *Biochem. Med.*, 5, 447-456.
- Ghezzi, P., Salmona, M., Recchia, M., Dagnino, G., & Garattini, S. (1980). Monosodium glutamate kinetic studies in human volunteers. *Toxicol. Lett.*, 5, 417-421.
- Ghezzi, P., Bianchi, M., Gianera, L., Salmona, M., & Garattini, S. (1985). Kinetics of monosodium glutamate in human volunteers under different experimental conditions. *Food Chem. Toxicol.*, 23(11), 975-978.
- Go, G., Nakamura, F.H., Rhoads, G.G., & Dickinson, L.E. (1973). Long-term health effects of dietary monosodium glutamate. *Hawaii Medical J.*, 32, 13-17.
- Heywood, R., James, R.W., & Worden, A.N. (1977). The ad libitum feeding of monosodium glutamate to weanling mice. *Toxicol. Lett.*, 1, 151-155.
- Heywood, R., James, R.W., & Salmona, M. (1978). Serum glutamate in rhesus macaques after gavage with MSG. *Toxicol. Lett.*, 2, 299-303.
- Heywood, R. & James, R.W. (1979). An attempt to induce neurotoxicity in an infant rhesus monkey with monosodium glutamate. *Toxicol. Lett.*, 4, 285-286.
- Huang, P.C., Lee, N.Y., Wu, T.J., Yu, S.L., & Tung, T.C. (1976). Effect of monosodium glutamate supplementation to low protein diets on rats. *Nutr. Rep. Int.*, 13, 477-486.
- Iwata, S., Ichimura, M., Matsuzawa, Y., Takasaki, Y., & Sasaoka, M. (1979). Behavioural studies in rats treated with monosodium L-glutamate during the early stages of life. *Toxicol. Lett.*, 4(5), 345-357.
- James, R.W., Heywood, R., Worden, A.N., Garattini, S., & Salmona, M. (1978). The oral administration of MSG at varying concentrations to male mice. *Toxicol. Lett.*, 1, 195-199.
- Kawamura, Y. & Kare, M.R. (1987). *Umami: a basic taste*. Marcel Dekker, New York and Basel.
- Kenney, R.A. (1986). The Chinese restaurant syndrome: an anecdote revisited. *Food Chem. Toxicol.*, 24(4), 351-354.
- Kerr, G.R., Wu-Lee, M., El-Lozy, M., McGandy, R., & Stare, F.J. (1977). Objectivity of food-symptomatology surveys. Questionnaire on the Chinese restaurant syndrome. *J. Am. Diet Assoc.*, 71(3), 263-268.

Kerr, G.R., Wu-Lee, M., El-Lozy, M., McGandy, R., & Stare, F.J. (1979). Prevalence of the "Chinese restaurant syndrome". *J. Am. Diet Assoc.*, 75(1), 29-33.

Lamperti, A. & Blaha, G. (1976). The effects of neonatally-administered monosodium glutamate on the reproductive system of adult hamsters. *Biol. Reprod.*, 14, 362-369.

Lamperti, A. & Blaha, G. (1980). Further observations on the effects of neonatally-administered monosodium glutamate on the reproductive axis of hamsters. *Biol. Reprod.*, 22, 687-693.

Lengvari, T. (1977). Effect of perinatal monosodium glutamate treatment on endocrine functions of rats in maturity. *Acta. Biol. Acad. Sci. Hung.*, 28, 133-141.

Liebschultz, J., Airoidi, L., Brounstein, M.J., & Chinn, N.G. (1977). Regional distribution of endogenous and parenteral glutamate, aspartate, and glutamine in rat brain. *Biochem. Pharmacol.*, 26, 443-446.

Maeda, S., Eguchi, S., & Sasaki, H. (1961). The content of free L-glutamic acid in various foods (part 2). *J. Home Econ.*, 12, 105-106.

Marrs, T.C., Salmona, M., Garattini, S., Murston, D., & Matthews, D.M. (1978). The absorption by human volunteers of glutamic acid from monosodium glutamate and from a partial enzymic hydrolysate of casein. *Toxicology*, 11, 101-107.

Matsuyama, S., Oki, Y., & Yokoki, Y. (1973). Obesity induced by monosodium glutamate in mice. *Nat. Inst. Anim. Health*, 13, 91-101.

Matsuzawa, Y., Yonetani, S., Takasaki, Y., Iwata, S., & Sekiny, S. (1979). Studies on reproductive endocrine function in rats treated with monosodium L-glutamate early in life. *Toxicol. Lett.*, 13, 359-371.

Matthews, D.M. (1984). Absorption of peptides, amino acids, and their methylated derivatives. *Aspartame, Physiology and Biochemistry*, edited by L.D. Stegink et al., pp. 29-46, Marcel Dekker, New York, USA.

Moriyuki, H. & Ichimura, M. (1978). Acute toxicity of monosodium L-glutamate in mice and rats. *Oyo Yakuri.*, 15, 433-436.

Nagasawa, H., Yanai, R., & Kikuyama, S. (1974). Irreversible inhibition of pituitary prolactin and growth hormone secretion and of mammary gland development in mice by monosodium glutamate administered neonatally. *Acta Endocrinol.*, 75, 249-259.

Nemeroff, C.B., Grant, L.D., Bissette, G., Ervin, G.N., Hartell, L.E., & Prange, A.J. Jr. (1977). Growth, endocrinological and behavioural deficits after monosodium L-glutamate in the neonatal rat. Possible involvement of arcuate dopamine neuron damage. *Psychoneuroendocrinology*, 101, 179-196.

Nikoletseas, M.M. (1977). Obesity in exercising hypophagic rats treated with monosodium glutamate. *Physiol. Behav.*, 19, 767-773.

Ohara, Y., Iwata, S., Ichimura, M., & Sasaoka, M. (1977). Effect of administration routes of monosodium glutamate on plasma glutamate levels in infant, weanling and adult mice. *J. Toxicol. Sci.*, 2, 281-290.

Olivo, M., Kitahama, K., Valatx, J.L., & Jouvet, M. (1986). Neonatal monosodium L-glutamate dosing alters the sleep-wake cycle of the mature rat. *Neurosci. L.*, 67, 186-190.

Olney, J.W. (1969). Brain lesions, obesity, and other disturbances in mice treated with monosodium glutamate. *Science*, 164, 719-721.

Olney, J.W., Labruyère, J., & de Gubareff, T. (1980). Brain damage in mice from voluntary ingestion of glutamate and aspartate. *Neurobehav. Toxicol.*, 2, 125-129.

Owen, G., Cherry, C.P., Prentice, D.E., & Worden, A.N. (1978). The feeding of diets containing up to 10% monosodium glutamate to beagle dogs for 2 years. *Toxicol. Lett. (Amst.)*, 1, 217-219.

Pinto-Scognamiglio, W., Amorico, L., & Gatti, G.L. (1972). Esperienze di tossicità et di tolleranza al monosodioglutamato con un saggio di condizionamento di salvaguardia. *Il Farmaco (Prat)*, 27, 19-27.

Pizzi, W.J., Barnhart, J.E., & Fanslow, D.J. (1977). Monosodium glutamate administration to the newborn reduces reproductive ability in female and male mice. *Science*, 196, 452-454.

Poon, T.K.-Y. & Cameron, D.P. (1978). Measurement of oxygen consumption and locomotor activity in monosodium glutamate-induced obesity. *Am. J. Physiol.*, 234, 532-534.

Price, M.T., Olney, J.W., & Lowry, O.H. (1981). Uptake of exogenous glutamate and aspartate by circumventricular organs but not other regions of brain. *J. Neurochem.*, 36, 1774-1780.

Reynolds, W.A., Butler, V., & Lemkey-Johnston, N. (1976). Hypothalamic morphology following ingestion of aspartame or MSG in the neonatal rodent and primate: a preliminary report. *J. Toxicol. Environ. Health.*, 2, 471-480.

Reynolds, W.A., Lemkey-Johnston, N., & Stegink, L.D. (1979). Morphology of the fetal monkey hypothalamus after in utero exposure to monosodium L-glutamate. *Glutamic acid* (ed. by Filer L.J. et al.). Raven Press, New York, USA, 217-229.

Rogers, L.J. (1982). Teratological effects of glutamate on behaviour. *Food Technol. in Australia*, 34, 202-206.

Semprini, M.E., Frasca, M.A., & Mariani, A. (1971). Effects of monosodium glutamate (MSG) administration on rats during the intrauterine life and the neonatal period. *Quaderni della Nutrizione*, 31, 85-100.

Semprini, M.E., Conti, L., Ciofi-Luzzatto, A., & Mariani, A. (1974). Effect of oral administration of monosodium glutamate (MSG) on the hypothalamic arcuate region of rat and mouse; a histological assay. *Biomedicine*, 21, 398-403.

Stegink, L.D., Filer, L.J., Baker, G.L., Mueller, S.M., & Wu-Rideout, M. (1979). Factors affecting plasma glutamate levels in normal adult subjects. *Glutamic acid, advances in biochemistry and physiology* led. by Filer, L.J. et al). Raven Press, New York, USA, 33-351.

Stegink, L.D., Filer, L.J. Jr., & Baker, G.L. (1982). Plasma and erythrocyte amino acid levels in normal adults subjects fed a high protein meal with and without added monosodium glutamate. *J. Nutr.*, 112, 1953-1960.

Stegink, L.D., Baker, G.L., & Filer, L.J. (1983). Modulating effect of sustagen on plasma glutamate concentration in humans ingesting monosodium L-glutamate. *Am. J. Clin. Nutr.*, 194-200.

Stegink, L.D., Filer, L.J., & Baker, G.L. (1983). Effect of carbohydrate on plasma and erythrocyte glutamate levels in humans ingesting large doses of monosodium L-glutamate in water. *Am. J. Clin. Nutr.*, 37, 961-968.

Stegink, L.D. (1984). Aspartate and glutamate metabolism. *Aspartame; physiology and biochemistry*, pp. 47-76.

Stegink, L.D., Filer, L.J., & Baker, G.L. (1985). Plasma glutamate concentrations in adult subjects ingesting monosodium L-glutamate in consomme. *Am. J. Clin. Nutr.*, 42, 220-225.

Stegink, L.D., Filer, L.J., Baker, G.L., & Bell, E.F. (1986). Effect of sucrose ingestion on plasma glutamate concentrations in humans administered monosodium L-glutamate. *Am. J. Clin. Nutr.*, 42, 220-225.

Takasaki, Y. (1978). Studies on brain lesions after administration of monosodium L-glutamate to mice. II. Absence of brain damage following

administration of monosodium L-glutamate in the diet. *Toxicology*, 9, 307-318.

Takasaki, Y. (1979). Protective effect of mono- and disaccharides on glutamate-induced brain damage in mice. *Toxicol. Lett.*, 4, 205-210.

Takasaki, Y. & Yugari, Y. (1980). Protective effect of arginine, leucine and preinjection of insulin on glutamate neurotoxicity in mice. *Toxicol. Lett.*, 16, 39-44.

Takasaki, Y. & Torii, K. (1983). Effects of water restriction on the development of hypothalamic lesions in weaning rodents given MSG. II. Drinking behaviour and physiological parameters in rats (*Rattus norvegicus*) and golden hamsters (*Mesocricetus auratus*). *Toxicol. Lett.*, 16, 195-210.

Terry, L.C., Epelbaum, J., Brazeau, P., & Martin, J.B. (1977). Monosodium glutamate: acute and chronic effects on growth hormone prolactin and somatostatin in the rat. *Fed. Proc.*, 36, 364.

Torii, K. & Takasaki, Y. (1983). Effects of water restriction on the development of hypothalamic lesions in weanling rodents given MSG. I. Drinking behaviour and physiological parameters in mice. *Toxicol. Lett.*, 16, 175-194.

Tung, T.C. & Tung, K.S. (1980). Serum free amino acid levels after oral glutamate intake in infant and adult humans. *Nutr. Rep. Int.*, 22, 431-443.

US FDA (1975). Investigation of the toxic and teratogenic effects of GRAS substances to the developing chicken embryo. Unpublished report, September 14 from the US Food and Drug Administration.

Wen, C.P., Hayes, K.C., & Gershoff, S.N. (1973). Effects of dietary supplementation of monosodium glutamate on infant monkeys, weanling rats and suckling mice. *Am. J. Clin. Nutr.*, 26, 803-813.

Yamaguchi, S. (1979). The umami taste. *Food taste chemistry* (ed. by Boudreau, J.C., Washington, DC, USA). Amer. Chem. Soc., 33-51.

Yamaguchi, S. & Kimizuka, A. (1979). Psychometric studies on the taste of monosodium glutamate. *Glutamic acid* (ed. by Filer, L.J. et al). Raven Press, New York, USA, 35-54.

Yamaguchi, S. & Komata, Y. (1984). Umami taste. Primacy and contribution to the tastes of meat and vegetable stocks. *Proceedings of the 18th Japanese Symposium on Taste and Smell*, 109-112. *Chem. Senses*, 10, 137.

Yonetani, S. & Matsuzawa, Y. (1978). Effect of monosodium glutamate on

serum luteinizing hormone and testosterone in adult male rats.
Toxicol. Lett., 1, 207-211.

Yonetani, S. Ishii, H., & Kirimura, J. (1979). Effect of dietary administration of monosodium L-glutamate on growth and reproductive functions in mice. *Oyo Yakuri (Pharmacometrics)*, 17, 143-152.